



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

CDC Guidance During COVID-19

Parent Drop-Off and Pick-Up

- Hand hygiene stations should be set up at the entrance of the facility, so that children can clean their hands before they enter. If a sink with soap and water is not available, provide hand sanitizer with at least 60% alcohol next to parent sign-in sheets. Keep hand sanitizer out of children's reach and supervise use. If possible, place sign-in stations outside, and provide sanitary wipes for cleaning pens between each use.
- Consider staggering arrival and drop off times and plan to limit direct contact with parents as much as possible.
 - Have child care providers greet children outside as they arrive.
 - Designate a parent to be the drop off/pick up volunteer to walk all children to their classroom, and at the end of the day, walk all children back to their cars.
 - Infants could be transported in their car seats. Store car seat out of children's reach.

Screen Children Upon Arrival

Persons who have a fever of 100.4° (38.0°C) or above or other signs of illness should not be admitted to the facility. Encourage parents to be on the alert for signs of illness in their children and to keep them home when they are sick. Screen children upon arrival, if possible.

There are several methods that facilities can use to protect their workers while conducting temperature screenings. The most protective methods incorporate social distancing (maintaining a distance of 6 feet from others)



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

or physical barriers to eliminate or minimize exposures due to close contact to a child who has symptoms during screening.

Examples of Screening Methods

Reliance on Social Distancing (example 1)

- Ask parents/guardians to take their child's temperature either before coming to the facility or upon arrival at the facility. Upon their arrival, stand at least 6 feet away from the parent/guardian and child.
- Ask the parent/guardian to confirm that the child does not have fever, shortness of breath or cough.
- Make a visual inspection of the child for signs of illness which could include flushed cheeks, rapid breathing or difficulty breathing (without recent physical activity), fatigue, or extreme fussiness.

You do not need to wear personal protective equipment (PPE) if you can maintain a distance of 6 feet.

Reliance on Barrier/Partition Controls (example 2) *(Little Einsteins Early Learning Ctr will be using this method)*

- Stand behind a physical barrier, such as a glass or plastic window or partition that can serve to protect the staff member's face and mucous membranes from respiratory droplets that may be produced if the child being screened sneezes, coughs, or talks.
- Make a visual inspection of the child for signs of illness, which could include flushed cheeks, rapid breathing or difficulty breathing (without recent physical activity), fatigue, or extreme fussiness.



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- **Conduct temperature screening (follow steps below)**
 - Perform hand hygiene
 - Wash your hands with soap and water for 20 seconds. If soap and water are not available, use a hand sanitizer with at least 60% alcohol.
- Put on disposable gloves.
- Check the child's temperature, reaching around the partition or through the window.
- Make sure your face stays behind the barrier at all times during the screening.
- If performing a **temperature check on multiple individuals**, ensure that you use a **clean pair of gloves for each child** and that the **thermometer has been thoroughly cleaned** in between each check.
- If you use disposable or non-contact (temporal) thermometers and you did not have physical contact with the child, you do not need to change gloves before the next check.
- If you use non-contact thermometers, clean them with an alcohol wipe (or isopropyl alcohol on a cotton swab) between each client. You can reuse the same wipe as long as it remains wet.

Reliance on Personal Protective Equipment (example 3)

If social distancing or barrier/partition controls cannot be implemented during screening, personal protective equipment (PPE) can be used when within 6 feet of a child. However, **reliance on PPE alone is a less effective control and more difficult to implement, given PPE shortages and training requirements.**



LITTLE EINSTEINS

Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- Upon arrival, wash your hands and put on a facemask, eye protection (goggles or disposable face shield that fully covers the front and sides of the face), and a single pair of disposable gloves. A gown could be considered if extensive contact with a child is anticipated.
- Make a visual inspection of the child for signs of illness, which could include flushed cheeks, rapid breathing or difficulty breathing (without recent physical activity), fatigue, or extreme fussiness, and confirm that the child is not experiencing coughing or shortness of breath.
- Take the child's temperature.
 - If performing a **temperature check on multiple individuals**, ensure that you use a **clean pair of gloves for each child** and that the **thermometer has been thoroughly cleaned** in between each check.
 - If you use disposable or non-contact (temporal) thermometers and did not have physical contact with an individual, you do not need to change gloves before the next check.
 - If you use non-contact thermometers, clean them with an alcohol wipe (or isopropyl alcohol on a cotton swab) between each client. You can reuse the same wipe as long as it remains wet.
- After each screening, remove and discard PPE, and wash hands.
- Use an alcohol-based hand sanitizer that contains at least 60% alcohol or wash hands with soap and water for at least 20 seconds.
- If hands are visibly soiled, soap and water should be used before using alcohol-based hand sanitizer.
- If your staff does not have experience in using PPE:



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- Check to see if your facility has guidance on how to don and doff PPE. The procedure to don and doff should be tailored to the specific type of PPE that you have available at your facility.

Clean and Disinfect

Caring for Our Children (CFOC) provides national standards for cleaning, sanitizing and disinfection of educational facilities for children. Toys that can be put in the mouth should be cleaned and sanitized (see below). Other hard surfaces, including diaper changing stations, door knobs, and floors can be disinfected.

Intensify cleaning and disinfection efforts:

- Facilities should develop a schedule for cleaning and disinfecting.
- [Routinely clean, sanitize, and disinfect](#) surfaces and objects that are frequently touched, especially toys and games. This may also include cleaning objects/surfaces not ordinarily cleaned daily such as doorknobs, light switches, classroom sink handles, countertops, nap pads, toilet training potties, desks, chairs, cubbies, and playground structures. Use the cleaners typically used at your facility.
- Use all cleaning products according to the directions on the label. For disinfection, most common EPA-registered, fragrance-free household disinfectants should be effective. If surfaces are dirty, they should be cleaned using a detergent or soap and water prior to disinfection. Follow the manufacturer's instructions for concentration, application method, and contact time for all cleaning and disinfection products.
- If possible, provide EPA-registered disposable wipes to child care providers and other staff members so that commonly used surfaces



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

such as keyboards, desks, and remote controls can be wiped down before use.

- All cleaning materials should be kept secure and out of reach of children.
- Cleaning products should not be used near children, and staff should ensure that there is adequate ventilation when using these products to prevent children from inhaling toxic fumes.

Cleaning and Sanitize Toys

- Toys that cannot be cleaned and sanitized should not be used.
- Toys that children have placed in their mouths or that are otherwise contaminated by body secretions or excretions should be set aside until they are cleaned by hand by a person wearing gloves. Clean with water and detergent, rinse, sanitize with an EPA-registered disinfectant, rinse again, and air-dry. You may also clean in a mechanical dishwasher. Be mindful of items more likely to be placed in a child's mouth, like play food, dishes, and utensils
- Machine washable cloth toys should be used by one individual at a time or should not be used at all. These toys should be [laundered](#) before being used by another child.
- Do not share toys with other groups of infants or toddlers, unless they are washed and sanitized before being moved from one group to the other.
- Set aside toys that need to be cleaned. Place in a dish pan with soapy water or put in a separate container marked for "soiled toys." Keep dish pan and water out of reach from children to prevent risk of drowning. Washing with soapy water is the ideal method for cleaning. Try to have enough toys so that the toys can be rotated through cleanings.



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- Children's books, like other paper-based materials such as mail or envelopes, are not considered a high risk for transmission and do not need additional cleaning or disinfection procedures.

Clean and Disinfect Bedding

- Use bedding (sheets, pillows, blankets, sleeping bags) that can be washed. Keep each child's bedding separate, and consider storing in individually labeled bins, cubbies, or bags. Cots and mats should be labeled for each child. Bedding that touches a child's skin should be cleaned weekly or before use by another child.

Caring for Infants and Toddlers

Diapering

When diapering a child, [wash your hands](#) and wash the child's hands before you begin, and wear gloves. Follow safe diaper changing procedures. Procedures should be posted in all diaper changing areas.

Steps include:

- Prepare (includes putting on gloves)
- Clean the child
- Remove trash (soiled diaper and wipes)
- Replace diaper
- Wash child's hands
- Clean up diapering station
- Wash hands

After diapering, wash your hands (even if you were wearing gloves) and disinfect the diapering area with a fragrance-free bleach that is EPA-



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

registered as a sanitizing or disinfecting solution. If other products are used for sanitizing or disinfecting, they should also be fragrance-free and EPA-registered. If the surface is dirty, it should be cleaned with detergent or soap and water prior to disinfection.

Washing, Feeding, or Holding a Child

It is important to comfort crying, sad, and/or anxious infants and toddlers, and they often need to be held. To the extent possible, when washing, feeding, or holding very young children: Child care providers can protect themselves by wearing an over-large button-down, long sleeved shirt and by wearing long hair up off the collar in a ponytail or other updo.

- Child care providers should wash their hands, neck, and anywhere touched by a child's secretions.
- Child care providers should change the child's clothes if secretions are on the child's clothes. They should change the button-down shirt, if there are secretions on it, and wash their hands again.
- Contaminated clothes should be placed in a plastic bag or washed in a washing machine.
- Infants, toddlers, and their providers should have multiple changes of clothes on hand in the child care center or home-based child care.
- Child care providers should wash their hands before and after handling infant bottles prepared at home or prepared in the facility. Bottles, bottle caps, nipples, and other equipment used for bottle-feeding should be thoroughly cleaned after each use by washing in a dishwasher or by washing with a bottlebrush, soap, and water.

Healthy Hand Hygiene Behavior



LITTLE EINSTEINS Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- All children, staff, and volunteers should engage in hand hygiene at the following times:
 - Arrival to the facility and after breaks
 - Before and after preparing food or drinks
 - Before and after eating or handling food, or feeding children
 - Before and after administering medication or medical ointment
 - Before and after diapering
 - After using the toilet or helping a child use the bathroom
 - After coming in contact with bodily fluid
 - After handling animals or cleaning up animal waste
 - After playing outdoors or in sand
 - After handling garbage
- Wash hands with soap and water for at least 20 seconds. If hands are not visibly dirty, alcohol-based hand sanitizers with at least 60% alcohol can be used if soap and water are not readily available.
- Supervise children when they use hand sanitizer to prevent ingestion.
- Assist children with handwashing, including infants who cannot wash hands alone.
 - After assisting children with handwashing, staff should also wash their hands.
- Place [posters](#) describing handwashing steps near sinks. Developmentally appropriate posters in multiple languages are available from CDC.

Food Preparation and Meal Service

- Serve meals in classrooms. If meals are typically served family-style, plate each child's meal to serve it so that multiple children are not using the same serving utensils.



LITTLE EINSTEINS
Early Learning Center

2030 Cottman Avenue
Philadelphia, Pennsylvania 19149
215-722-2600

398 E. Godfrey Avenue
Philadelphia, Pennsylvania 19120
215-725-TOTS

6316 Germantown Avenue
Philadelphia, Pennsylvania 19144
215-438-KIDS

- Food preparation should not be done by the same staff who diaper children.
- Sinks used for food preparation should not be used for any other purposes.
- Caregivers should ensure children wash hands prior to and immediately after eating.
- Caregivers should wash their hands before preparing food and after helping children to eat.

Facilities should follow all other applicable federal, state, and local regulations and related to safe preparation of food.